POLI·LED

BLACK FRIDAY 2026

PoliLED product catalog

28	126	230	September 24, 2026
CATEGORIES	PRODUCT SERIES	SKUS	GENERATED

CONTENTS

Clearance

CLEARANCE / BLACK FRIDAY 2026 / GARDEN LIGHTS



G-SPOT Series LED Ground Spike Spot Lights

Aluminum-housing IP65 spike-mounted garden spot lights available in 3W/4500K/12V, 12W/4000K/12V, and 12W/6000K/110V variants.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
1-G3-4K-SPOT-12V	3	12	4500	85		50000	IP65	8 × 4 × 4 in	1 lb	Aluminum	Black	1	$14.92
1-G12-4K-SPOT-12V	12	12	4000	85	SMD3528	50000	IP65	20 × 14 × 14 in	24 lb	Aluminum	Black	1	$35.45
1-G12-6K-SPOT-110	12	12	6000		Epistar SMD3528	50000	IP65	145mm x 190mm		Aluminum		1	$35.45


Further specifications not shown here: Lumens (lm), Wire Length (in).



G-H5 Hat-Shaped LED Path Light, 5W 3CCT

Hat-shaped LED path light, 5W with selectable 3000K/4000K/5000K, 12-24V AC/DC, IP65, oil-rubbed bronze finish.

SKU	Input Voltage (V)	CCT (K)	CRI (Ra)	LED Type	IP Rating	Product Dimensions	Material	List Price
1-G-H5-3CCT-22	12	3000	80	SMD3030	IP65	Dia 6" x 21.92" H	Metal + Aluminum	$38.24



G10 RGB COB Garden Spike Light, 10W

COB spike-mounted garden light, 10W RGB, 12V DC, IP65, with remote control, in black/silver finish.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	IP Rating	Product Dimensions	Wire Length (in)	Finish	Warranty (years)	List Price
1-G10-RGB-12V	10	12	50000	IP65	75 x 190 mm	11.8	Black/ Silver	1	$15.86

CLEARANCE / **BLACK FRIDAY 2026** / **STREET LIGTHS**



1-ST-AL Series Oval LED Cobra Head Street Light

Oval aluminum-housing LED cobra head street lights; variants differ by wattage (50W, 100W).

SKU	Power (W)	Input Voltage (V)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Warranty (years)	List Price
1-ST-AL50W	50	120 to 277	85	110	50000	20 × 9.5 × 5 in	5 lb		1	$40.11
1-ST-AL100W	100	120 to 277	85		50000	30 × 14 × 5 in	11.7 lb	Aluminum	1	$79.29



1-ST-B Series Rectangular LED Cobra Head Street Light

Rectangular LED cobra head street lights; variants differ by wattage (40W, 60W).

SKU	Power (W)	Input Voltage (V)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Warranty (years)	List Price
1-ST-B40W	40	110	85			16 × 6.75 × 3.5 in	7 lb	1	$35.45
1-ST-B60W	60	120 to 277	85	120	50000	20.5 × 9.75 × 4 in	9 lb	1	$40.11



1-ST-Y Series Dusk-to-Dawn LED Area Light

Dusk-to-dawn LED area light with pole/wall mount, 5000K, 100-277VAC.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Weight	Material	List Price
1-ST-Y50W-50K-S	50	100 to 277	150	5000	70	120	50000	IP65	-40 to 104	374*252*148.8 mm	3.86 lb	ADC12 aluminum housing with PC lens	$40.11

Further specifications not shown here: Warranty (years).



1-ST-G-A Series LED Area Light, Slipfitter Mount

5000K Type III LED area lights with slipfitter mount, IP65; variants differ by wattage (120W, 150W, 200W, 250W, 300W).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Weight	Material	List Price
1-ST-G120-50K-A	120	120 to 277	15600	5000	70	90	45000	IP65	-40 to 104	22 × 14 × 6 in	11 lb	ADC12	$109.14
1-ST-G150-50K-A	150	120 to 277	19500	5000	70	90	45000	IP65	-40 to 104	27 × 14 × 5 in	6.1 lb	ADC12	$119.40
1-ST-G200-50K-A	200	120 to 277	26000	5000	70	90	45000	IP65	-40 to 104	27 × 14 × 5 in	13.35 lb	ADC12	$148.32
1-ST-G200-50K-A-S	200	120 to 277	26000	5000	70	90	45000	IP65	-40 to 104	27 × 14 × 5 in	15 lb	ADC12	$158.58
1-ST-G250-50K-A-S	250	120 to 277	32500	5000	70	90	45000	IP65	-40 to 104	33 × 14 × 6 in	19.22 lb	ADC12	$227.60

Further specifications not shown here: Warranty (years), Certifications.



1-ST-G-B Series LED Area Light, Wall/Pole Mount

5000K Type III LED area lights with wall or pole mount, IP65; variants differ by wattage (100W, 150W).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Material	Warranty (years)	Certifications	List Price
1-ST-G100-50K-B-SC	100	120 to 277	13000	5000	70	90	50000	IP65	-40 to 104	ADC12	1	ETL, DLC, IP65,	$89.55
1-ST-G150-50K-B	150	120 to 277	19500	5000	70	90	45000	IP65	-40 to 104	ADC12	1	ETL, DLC, IP65	$119.40

Further specifications not shown here: Product Dimensions, Weight.




1-ST-RM Series LED Street Light / Shoebox

5000K Type II–V LED street/shoebox lights, 0-10V dimmable, IP65; variants differ by wattage (60W, 100W, 200W, 240W) and mount option (A/B).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Weight	Material	Warranty (years)	List Price
1-ST-RM60-50K-A-SC	60	120 to 240	8400	5000	70	50000	IP65	-22 to 122	22.5 × 13.25 × 1.75 ft	15 lb	Aluminum and polycarbonate	1	$87.36
1-ST-RM60-50K-B-SC	60	120 to 240	8400	5000	70	50000	IP65	-22 to 122	22.5 × 13.25 × 1.75 ft	15 lb	Aluminum and polycarbonate	1	$87.36
1-ST-RM100-50K-A-SC	100	100-277V AC	13000	5000	70	50000	IP65	-40 to +40	22 x 13.25 x 2.25 in	14 lb		5	$90.85
1-ST-RM100-50K-B-SC	100	120 to 277	14000	5000	70	50000	IP65	-22 to 122	22 × 13.25 × 2.25 in	14 lb	Aluminum and polycarbonate	1	$95.05
1-ST-RM200-50K-A-SC	200	100-277V AC	28000	5000	70		IP65	-40 to +40	30 x 13 x 2.25 in	21.16 lb		10	$144.88
1-ST-RM240-50K-A-SC	240	100-277V AC	33600	5000	70		IP65	-40 to +40	31.5 x 13.25 x 2.75 in	19 lb		10	$198.91

Further specifications not shown here: Certifications.


CLEARANCE / **BLACK FRIDAY 2026** / **STREET LIGTHS ACCESSORIES**



Bullhorn Adapter for 3-Inch Pole, 2-3/8" Arms

Bullhorn pole-top adapters for 3-inch poles in bronze finish; variants differ by number of 2-3/8-inch arms (2, 3, 4, or 5).

SKU	Rated Life (hours)	Mount Type	Finish	Warranty (years)	List Price
1-ST-Z-P3-BH2-B	50000	Bullhorn adapter for 3-inch pole with two 2-3/8-inch arms; wall mount adapter creating 2-3/8-inch tenon at 90 degrees	Bronze	1	$119.40
1-ST-Z-P3-BH3-B	50000	3 inch pole, three 2-3/8 inch arms	bronze	1	$224.72
1-ST-Z-P3-BH4-B	50000	3-inch pole mount, four 2-3/8-inch arms	Bronze	1	$218.28
1-ST-Z-P3-RH4	50000	Pole Mount	Bronze	1	$218.28
1-ST-Z-P3-RH5	50000	Bullhorn pole adapter	Bronze	1	$277.04



Straight Horn Adapter for 3-Inch Pole, 2-3/8" Arms

Straight horn pole adapters for 3-inch poles in bronze finish; variants differ by arm count (1, 3, or 4 arms of 2-3/8 inch).


SKU	Rated Life (hours)	Mount Type	Finish	Warranty (years)	List Price
1-ST-Z-P3-SH1-B	50000	3-inch pole, 2-3/8-inch arm	Bronze	1	$49.44
1-ST-Z-P3-SH3-B	50000	Straight horn adapter, 3-inch pole with 2-3/8-inch arm	Bronze	1	$89.55
1-ST-Z-P3-SH4-B	50000	4-Arm, 2-3/8 in fitting, fits 3 in pole	Bronze	1	$119.40



Straight Horn Dual-Arm Adapter for 3-Inch Pole

Dual 2-3/8-inch arm straight horn adapters for 3-inch poles in bronze; variants differ by arm angle (90° or 180°).

SKU	Rated Life (hours)	Mount Type	Finish	Warranty (years)	List Price
1-ST-Z-P3-SH2-90-B	50000	3-inch pole	bronze	1	$59.70
1-ST-Z-P3-SH2-180-B	50000	3-inch pole, dual 2-3/8-inch arm, 180-degree	Bronze	1	$59.70



Vertical Tenon Reducer, 3-Inch Pole to 2-3/8" Tenon

Vertical tenon reducer adapting a 3.4-inch round pole to a 2-3/8-inch tenon, black finish.

SKU	Rated Life (hours)	Finish	Warranty (years)	List Price
1-ST-Z-P3-VTR-B	50000	Black	1	$71.02



Vertical Tenon Reducer, 4-Inch Pole to 2-3/8" Tenon

Vertical tenon reducers from 4-inch poles to a 2-3/8-inch tenon in bronze; variants fit 4.6-inch round or 4-inch square poles.


SKU	Rated Life (hours)	Mount Type	Finish	Warranty (years)	List Price
1-ST-Z-P4-VTR-B	50000	Pole Tenon Mount	Bronze	1	$71.02
1-ST-Z-P4-VTS-B	50000	Tenon adapter	Bronze	1	$62.50



Vertical Tenon Reducer, 5-Inch Pole to 2-3/8" Tenon

Vertical tenon reducers from 5-inch poles to a 2-3/8-inch tenon in bronze; variants fit 5-inch round or 5-inch square poles.

SKU	Rated Life (hours)	Mount Type	Finish	Warranty (years)	List Price
1-ST-Z-P5-VTR-B	50000	Tenon reducer	Bronze	1	$62.50
1-ST-Z-P5-VTS-B	50000	Tenon mount, 5-inch square pole to 2-3/8-inch tenon	Bronze	1	$62.50
1-ST-Z-P5O-VTS-B	50000	Tenon	Bronze	1	$62.50



Tenon Reducer, 6-1/8" to 2-1/8"

Tenon reducer adapting 6-1/8 inch to 2-1/8 inch; liquidation item with limited warranty.

SKU	Rated Life (hours)	Warranty (years)	List Price
1-ST-Z-P6-VTR-B	50000	1	$79.29



Twist-Lock Photocell Sensor

Twist-lock photocell sensor for outdoor lighting control.

SKU	Rated Life (hours)	Mount Type	Warranty (years)	List Price
1-ST-Z-Photocell	50000	Twist lock	1	$10.26



Photocell Shorting Cap, ANSI C136.10

ANSI C136.10 twist-lock photocell shorting cap, 0-480V, 15A, IP65 rated.

SKU	Rated Life (hours)	Mount Type	Warranty (years)	List Price
1-ST-Z-ShortingCap	50000	ANSI C136.10 twist-lock receptacle	1	$11.66

CLEARANCE / **BLACK FRIDAY 2026** / **GARDEN LIGHTS UNDERGROUND**



UG2.55 Series In-Ground LED Light, 12VDC

Stainless steel IP67 underground LED luminaire with 45° beam, 1W 12VDC 4000K output.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Material	Finish	List Price
1-UG2.55-1-4K-12V	1	12	100	4000	85	45	50000	IP67	-4 to 104	6.5*8cm	Stainless steel + Aluminum	Black + Silver	$12.13

Further specifications not shown here: Color, Warranty (years).



UG8 Series In-Ground LED Light, 24VDC

Stainless steel IP67 underground LED luminaire, 24VDC 6000K with 45° beam, available in 15W and 24W.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Material	Finish	List Price
1-UG8-15-6K-24V	15	24	1500	6000	85	45	50000	IP67	-4 to 104	200x95mm	Stainless steel + Aluminum	Black + Silver	$53.17
1-UG8.66-24-6K-24V	24	24	2400	6000	85	45	50000	IP67	-4 to 104	200x95mm	Stainless steel + Aluminum	Black + Silver	$51.30

Further specifications not shown here: Color, Warranty (years).



UG7 Series Round In-Ground LED Light, 12W 12VDC

Round stainless steel IP67 underground LED luminaire, 12W 12VDC, available in 4000K and 6000K (30° beam).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Material	Finish	List Price
1-UG7-12-4K-12V	12	12	1200	4000	80	30	50000	IP67	-4 to 104	180x95mm	Stainless steel + Aluminum	Black + Silver	$39.18
1-UG7-12-6K-12V	12	12	1200	6000	85	30	50000	IP67	-4 to 104	18*9.5cm	Stainless steel + Aluminum	Black + Silver	$39.18

Further specifications not shown here: Color, Warranty (years).

CLEARANCE / **BLACK FRIDAY 2026** / **VAPOR TIGHT LIGHTS**



VT4 Series Vapor Tight LED Fixture

IP69K-rated vapor tight LED fixtures in the VT4 series; variants differ by wattage (40W, 60W) and mounting/linking option (standard or linkable).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Dimming Type	Warranty (years)	List Price
1-VT4-40W-50K-S	40	120 to 277	5400	135	5000	80	120	50000	IP69K	-4 to 140	1 - 10V	1	$49.44
1-VT4-60W-50K-S	60	120 to 277	7800	130	5000	80	120	50000	IP69K	-4 to 140	1 - 10V	1	$59.70

Further specifications not shown here: Product Dimensions, Certifications.

CLEARANCE / **BLACK FRIDAY 2026** / **WALL LIGHTS**



1-W-A Series RGB/White LED Wall Sconce

A-series two-sided LED wall sconces, IP40; available as 3.5W RGB with remote or 7W 6000K white.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Environmental Rating	Product Dimensions	Weight	Warranty (years)	List Price
1-W-A3RGB	3.5	120 to 240	350	350		85	50000	IP40	Non-Waterproof	7 × 6.5 × 3.75 in	1.8 lb	1	$43.84
1-W-A7W	7	120 to 277	700	100	6000	85	50000	IP40	Water Resistant			1	$49.44

Further specifications not shown here: Mount Type, Finish.



1-W-F Series Outdoor LED Wall Sconce

Outdoor LED wall sconces in black, 5000K; offered as FR12 (12W, 120-277V), FS7 (9W), and FS12 (12W, 120-277V) variants.


SKU	Power (W)	Input Voltage (V)	CCT (K)	Rated Life (hours)	Product Dimensions	Mount Type	Finish	Warranty (years)	List Price
1-W-FR12-5K-BK	12	120 to 277	5000	50000	278x183x97mm	Wall-mount	Black	1	$35.45
1-W-FS7-5K-BK	9	120 to 277	5000	50000	218x133x60mm	Wall Mount	Black	1	$21.45
1-W-FS12-5K-BK	12	120 to 277	5000	50000	277x182x84mm	Wall mount	Black	1	$30.78

No image

1-W-R6x2 Outdoor Double-Sided LED Wall Sconce

Double-sided 12W outdoor wall sconce, 5000K, IP65, 25-degree beam, sand grey finish.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Product Dimensions	Mount Type	Finish	Warranty (years)	List Price
1-W-R6x2-5K-SV	36	100 to 265	100	100	5000	80	50000	IP65	90 x 260 mm	Screw and bracket, wall mount	Sand Grey	1	$40.11



1-W-T12 Outdoor LED Wall Sconce

Outdoor 12W 5000K LED wall sconce in black with 50,000-hour LED life.

SKU	Power (W)	CCT (K)	Rated Life (hours)	Product Dimensions	Mount Type	Finish	Warranty (years)	List Price
1-W-T12-5K-BK	12	5000	50000	247x180x121mm	Wall mount	Black	1	$40.11

No image

1-W-U3x2 LED Wall Sconce

5000K LED wall sconce in silver finish, 100x100x200mm.

SKU	Power (W)	CCT (K)	Rated Life (hours)	Product Dimensions	Finish	Warranty (years)	List Price
1-W-U3x2-5K-SV	0	5000	50000	100x100x200mm	Silver	1	$38.24



1-W-S3x2 Series Outdoor Dimmable LED Wall Light

Outdoor dimmable 5000K waterproof LED wall lights, 100x100x100mm, in black or silver finish.

SKU	Power (W)	CCT (K)	Rated Life (hours)	Environmental Rating	Product Dimensions	Mount Type	Finish	Warranty (years)	List Price
1-W-S3x2-5K-BK-D	0	5000	50000	Waterproof	100x100x100 mm	Wall Mount	Black	1	$34.77
1-W-S3x2-5K-SV-D	0	5000	50000		100x100x100 mm	Wall mount	Silver	1	$29.85



9-W 3-Inch Square Recessed LED Step Light

3-inch square recessed step/wall light with photocell (and proximity sensor on 6000K version); available in 1.8W 6000K or 1.8W 3000K warm white.

SKU	Power (W)	Input Voltage (V)	CCT (K)	Rated Life (hours)	Product Dimensions	Weight	Mount Type	Finish	Warranty (years)	List Price
9-W1.8W	1.8	120 to 240	6000	50000	4 × 4 × 2.25 in	0.2 lb	Wall mount	White	1	$10.26
9-W1.8WW	1.8	120 to 240	3000	50000	4 × 4 × 2.25 in	0.2 lb		While	1	$10.26



1-WP-FC Series Full-Cutoff LED Wall Pack

Full-cutoff LED wall pack, 120-277VAC with 0-10V dimming; variants differ by wattage (80W with DIP switch, or 120W), both 5000K.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Environmental Rating	Operating Temperature (°F)	Product Dimensions	List Price
1-WP-FC80-50K-DIP	4	120 to 277	3900	130	5000	70	Lumileds 3030	50000	IP65	Wet location	-22 to 113	230.5 x 220.9 x 170.9 mm	$104.47
1-WP-FC120-50K	100	120	11200			70							$128.73

Further specifications not shown here: Weight, Mount Type.



1-WP-M26 Series LED Wall Pack, 26W

26W LED wall pack, 3,000 lm, 3000K, with frosted acrylic lens and dusk-to-dawn photocell.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Environmental Rating	Operating Temperature (°F)	Product Dimensions	List Price
1-WP-M26-30K-F	75	120 to 277	3000	115	3000	70	Philips Lumileds SMD3030	50000	IP65	Suitable for wet locations	-40 to 122	5.5 × 3.75 × 8.5 ft	$42.40

Further specifications not shown here: Weight, Mount Type.



1-WP-M13 Series Mini LED Wall Pack, 13W

13W mini LED wall pack, 1500 lm, IP65, with photocell and frosted cover; variants differ by colour temperature (3000K or 5000K).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Environmental Rating	Product Dimensions	Weight	List Price
1-WP-M13-30K-F	13	120	1500		3000	70					5.5 x 3.75 x 8.5 in	1.8 lb	$22.39
1-WP-M13-50K-F	75	120 to 277	1500	115	5000	70	Philips Lumileds SMD3030	50000	IP65	Suitable for wet locations	5.5 × 3.75 × 8.5 ft	1.8 lb	$28.83

Further specifications not shown here: Operating Temperature (°F), Mount Type.

CLEARANCE / BLACK FRIDAY 2026 / ADVERTISEMENT



X-Type Banner Display Stand, 40" x 75"

X-type banner display stand, 40 in x 75 in, with a 1-year warranty; sold as final sale.

SKU	Rated Life (hours)	Product Dimensions	Warranty (years)	List Price
2-X-JD-S	50000	40 x 75 in	1	$14.92



Retractable Banner Stand, 36.5" x 79"

Retractable banner stand, 36.5 in x 79 in, supplied with a carry bag and a 1-year warranty.


SKU	Rated Life (hours)	Product Dimensions	Warranty (years)	List Price
3-RA36	50000	36.5 in x 79 in	1	$31.72



LW5032A-H Spring Clip Mounting Accessory

Spring clip mounting accessory for recessed LED extrusion channels.


SKU	Rated Life (hours)	Warranty (years)	List Price
5-LW5032A-H-SC-SC	50000	1	$3.18



LW5035-H Aluminum LED Channel, 50x35 mm

Aluminum LED channel for surface and hanging mount, 50 mm x 35 mm x 2.5 m.


SKU	Rated Life (hours)	Product Dimensions	Length (m)	Strip Width (mm)	Mount Type	Material	Warranty (years)	List Price
5-LW5035-H	50000	50mm x 35mm x 2500mm	2.5	39	Surface, Hanging	Aluminum	1	$69.96



LW7036A-H Aluminum LED Channel, 90x36 mm

Aluminum LED channel profile, 90 x 36 mm with 48 mm inner width, hanging and spring clip mount.


SKU	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Length (m)	Strip Width (mm)	Mount Type	Material	Finish	Warranty (years)	List Price
5-LW7036A-H-SC-10	50000	-58	90x36 mm	3	48	Hanging suspension or spring clip	6063-T5 aluminum extrusion with PC diffuser	Silver anodized	1	$202.46



LW7575-H Aluminum LED Profile, 75x75 mm

Anodized aluminum LED profile, 75 x 75 mm, surface or hanging mount, 8.2 ft extrusion.

SKU	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Length (m)	Strip Width (mm)	Mount Type	Material	Finish	Warranty (years)	List Price
5-LW7575-H	50000	-58	75x75 mm	2.5	62	Surface or hanging	6063-T5 aluminum with PC diffuser	Silver anodized (standard); white painted or black anodized available	1	$119.40



LW6060-H Aluminum LED Channel, 60x60 mm

Aluminum LED channel for surface and hanging mount, 60 x 60 mm profile; variants differ by length (8.2 ft and 118 in / 3 m).

SKU	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Length (m)	Strip Width (mm)	Mount Type	Material	Finish	Warranty (years)	List Price
5-LW6060-H	50000		60mm x 60mm x 98in	2.5		Surface, Hanging	Aluminum		1	$98.88
5-LW6060-H-10	50000	-58	60x60mm	3	49	Surface or suspended	6063-T5 aluminum body, PC diffuser	Anodized silver	1	$135.68



7-RS57 Series Rigid LED Strip, 12 mm, 1 m

Rigid LED strip light, 12 mm wide, 1 m length, 60 LEDs, 6500K white.

SKU	Power (W)	CCT (K)	LEDs per Segment	Rated Life (hours)	Length (m)	Strip Width (mm)	Material	Finish	Warranty (years)	List Price
7-RS57-60W-S	15	6500	60	50000	1	12	Aluminum	White	1	$13.57

CLEARANCE / **BLACK FRIDAY 2026** / **BULBS**



GU10 LED Spot Light Series

GU10-base LED spot lamps offered in 3W, 5W and 7W outputs, with dimmable and non-dimmable options in warm white or 5000K.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
8-GU10-3W-D	3	120 to 240	2000	4000	80	60	50000	Diameter 49mm	0.3 lb	Aluminum	Silver	1	$4.66
8-GU10-3WW	3	120 to 240	2000	3000	80	60	50000	Diameter 49mm	0.3 lb	Aluminum	Silver	1	$4.66
8-GU10-3WW-D	3	120 to 240	2000		80	60	50000	Diameter 49mm	0.3 lb	Aluminum	Silver	1	$4.66
8-GU10-5W-D	5	120 to 240	1000	5000	80	60	50000	Diameter 49mm		Aluminum	Silver	1	$4.66
8-GU10-5WW	5	120 to 240	1000	3500	80	60	50000	Diameter 49mm	0.3 lb	Aluminum	Silver	1	$4.66
8-GU10-5WW-D	5	120 to 240	1000	3500	80	60	50000	Diameter 49mm	0.3 lb	Aluminum	Silver	1	$4.66
8-GU10-7W-50K-D-UL	7	120	500	5000	80	38	50000	2 × 2 × 2 in	0.2 lb		White	1	$3.73

Further specifications not shown here: Dimming Type.



GU10 COB LED Bulb Series

GU10-base COB LED bulbs at 5W, available dimmable or non-dimmable in warm white variants.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Dimming Type	Warranty (years)	List Price
8-GU10-C5W-D	5	120	5000	80	120	50000			Aluminum	Silver	Dimmable	1	$4.66
8-GU10-C5WW	5	120 to 240	3200	80	120	50000	2 × 2 × 3 in	0.3 lb	Aluminum	Silver		1	$4.66
8-GU10-C5WW-D	5	120		80	120	50000	2 × 2 × 3 in	0.3 lb	Aluminum	Silver		1	$4.66



GU10 6W LED Bulb Series, 120° Beam

GU10 6W dimmable LED bulbs with 120° beam angle, offered in 5000K and 3000K warm white.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Dimming Type	List Price
8-GU10-6W-D-E	6	120	1000	5000	80	120	50000	2 × 2 × 3 in	0.4 lb	Plastic	White	Dimmable	$5.60
8-GU10-6WW-D-E	6	120	1000	3000	80	120	50000	2 × 2 × 3 in	0.4 lb	Plastic	White	Dimmable	$5.60

Further specifications not shown here: Warranty (years).



BR-Series LED Reflector Bulbs

BR-format reflector LED bulbs in BR20 (7W), BR30 (12W) and BR40 (15W), all 5000K with E26/E27 base.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Material	Finish	Dimming Type	Warranty (years)	List Price
8-E27-BR20-7W-UL	7	120		5000	85	120	50000	50mm(D)*88mm(H)		White	0 - 10V	1	$7.46
8-E27-BR30-12W-50K-D-UL	12	120	850	5000	80	200	50000	50mm(D)*88mm(H)	Aluminum plastic cup	White		1	$7.46
8-E27-BR40-15W-50K-D-UL	15	120	1400	5000	80	120	50000	80mm(D)*110mm(H)	Aluminum plastic cup	White	Dimmable	1	$9.33



PAR-Series LED Bulbs, E26/E27

PAR-format LED lamps offered in PAR20 (7W), PAR30 (35W), PAR38 (14W) and PAR38 (15.5W) variants.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
8-E27-PAR20-7W-UL	7	120	500	5000	80	120	50000		6 lb	Aluminum + plastic	White	1	$7.46
8-E27-PAR30-35W	35	85 to 265	2900	6500	85	24	50000	4 × 4 × 5 in	0.6 lb	Aluminum	Silver	1	$18.66
8-E27-PAR38-14DW-UL	14	120	4000	4000	80	60	50000			Aluminum + plastic	White	1	$9.33
8-E27-PAR38-15.5W-UL	15.5	120	1200	6000	80	120	50000	136MM(L)x120mm(D)		Aluminum + plastic	White	1	$13.06

Further specifications not shown here: Dimming Type.



E27 Corn LED Bulb Series

E27-base corn-style LED bulbs available in 9W warm white and 32W U-shape 6500K variants.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Weight	Material	Warranty (years)	List Price
8-E27-CN-9WW	9	120 to 240		3000	85	360	50000		6 × 2 × 2 in	0.3 lb	Aluminum+ Glass	1	$6.53
8-E27-CN-U32-6K	32	120 to 240	2560	6500	70	360	50000	-13			Aluminum+ Glass	2	$10.26

Further specifications not shown here: Finish.



E27 Mogul 54W LED Corn Bulb

Single 54W E27 mogul-base LED corn bulb, 5000K, 80 CRI, 360° beam.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Operating Temperature (°F)	Warranty (years)	List Price
8-E27-CN54-5K-UL	54	120 to 240	5000	80	360	50000	-13	1	$55.04



E40 80W LED Corn Light

E40 mogul-base LED corn light, 80W, 5000K, IP64.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Material	Warranty (years)	List Price
8-E40-CN80-5K-UL	80	120 to 240	5000	75	360	50000	Aluminum	1	$59.70



A19 LED Bulb Series, 5000K Dimmable

A19 LED bulbs with E26 base, 5000K dimmable, offered in 6W and 9W variants.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Material	Finish	Dimming Type	Warranty (years)	List Price
8-E27-A19-6W-50K-D-UL	6	120	480	5000	80	200	50000		White	Dimmable	1	$2.80
8-E27-A19-9W-50K-D-UL	9	120	800	5000	80	200	50000	ABS	White	Dimmable	1	$2.80



A19 Globe LED Bulb Series, E27

E27-base A19 globe LED bulbs offered in 7W, 12W, 13.5W and 22W outputs, in warm white or day/neutral white.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
8-E27-A19-G7DW	7	120	580	4000	80	360	50000	? 60x(H)110mm	0.2 lb	Acrilycs + Aluminum	White	1	$4.66
8-E27-A19-G12WW	12	120 to 240		3000	80	270	50000	Diameter 80mm		Plastic + Aluminum	White	1	$7.42
8-E27-A19-G13.5DW	13.5	120 to 240	1200	4000	80	270	1200	80x138 mm	0.5 lb	Plastic + Aluminum	White	1	$5.60
8-E27-A19-G22WW	22	120 to 240	130	3000	80	270	50000			Acrilyc + Aluminum	White	1	$6.53

Further specifications not shown here: Dimming Type.



E27 LED Spot Lamp Series, 3W

E27-base 3W LED spot lamps offered in dimmable and non-dimmable versions with 6500K or 3000K warm white options.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Material	Finish	Warranty (years)	List Price
8-E27-SPOT-3W	3	120 to 240	900	6500	80	60	50000	-13	49mm	Aluminum	Silver	1	$4.66
8-E27-SPOT-3W-D	3	120	900	5000	80	60	50000	-13	49mm	Aluminum	Silver	1	$6.53
8-E27-SPOT-3WW	3	120 to 240	900	3000	80	45	50000	-13	65*50 mm	Aluminum	White	1	$5.60
8-E27-SPOT-3WW-D	3	120 to 240	900	3000	80	45	50000	-13	65*50 mm	Aluminum	White	1	$7.46



E12 Candle LED Bulb Series

E12-base candle LED bulbs in 4W and 5W warm white, plus a 4.5W dimmable filament version.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Weight	Material	Warranty (years)	List Price
8-E12-4WW	4	120 to 240	500	3000		120	50000	-4			Aluminum + Glass	1	$5.60
8-E12-5WW-S	5	120	100	3000	80	360	50000	-4	D16*H54mm		Aluminum + Glass	1	$2.80
8-E12-F4.5WW-D	4.5	120	600	2700			50000	-4	4 × 2 × 2 in	0.3 lb	Aluminum + Glass	1	$3.73

Further specifications not shown here: Dimming Type.



E27 UFO LED Bulb Series

E27-base UFO-style LED bulbs offered in 18W, 24W and 36W outputs with 180° beam angle.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
8-E27U-18W	18	120 to 240	1350	70	180	50000	5 × 5 × 6 in	0.2 lb	Aluminum	White	2	$6.53
8-E27U-24W	24	120 to 240	1800	70	180	50000	6 × 6 × 6.5 in	0.4 lb	Aluminum	White	2	$9.33
8-E27U-36W	36	120 to 240	2700	70	180	50000	7.5 × 7.5 × 6.5 in	0.9 lb	Aluminum	White	2	$10.26



E27 High-Power LED Bulb Series

E27-base high-power LED bulbs offered in 50W and 80W outputs.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Rated Life (hours)	Product Dimensions	Weight	Material	Warranty (years)	List Price
8-E27-50W-HPB	50	120 to 240	4000		70	50000	5 × 5 × 9.5 in	0.9 lb		2	$20.52
8-E27-80W-HPB	80	120 to 240	5600	6500	70	50000	26.5 x 15 cm		PC+Aluminum	2	$22.39



GU24 9W LED Bulb

Single GU24-socket LED bulb, 9W, 5000K dimmable, 800 lumens, 120V.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Finish	Warranty (years)	List Price
8-GU24-9W-50K-D-UL	9	120	800	80	200	50000	4 × 2 × 2 in	0.3 lb	White	1	$2.80



E26 RGBW Smart Wi-Fi LED Bulb Series

E26-base RGBW smart Wi-Fi LED bulbs available in A19 (9W) and BR40 (15W) form factors.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Material	Warranty (years)	List Price
8-S-E26-A19-9W-UL	9	120 to 277	800	80	200	50000	Aluminum, Plastic	1	$10.26
8-S-E26-BR40-15W-UL	15		1400	80	120	50000	Aluminum, plastic cup and lens	1	$20.52

CLEARANCE / **BLACK FRIDAY 2026** / **TUBE LIGHTS**



8-T8-4 Series 4 ft T8 LED Tubes

4-foot T8 LED tubes at 13W or 15W, 5000K; includes plug-and-play dimmable and Type A+B ballast-compatible variants.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Material	Finish	Color	Warranty (years)	List Price
8-T8-4-LV13-50K-AB	13	120 to 240	5000	80	120	50000	IP20	-4 to 104	Acrylic cover + Aluminum	White	White	1	$6.72
8-T8-4-UL15-5K-AB-1	15	120 to 240	5000	80	120	50000	IP20	-4 to 104	Aluminum	White	White	1	$6.00

Further specifications not shown here: Lumens (lm), Efficacy (lm/W).



8-T8-3 Series 3 ft T8 LED Tube

36-inch T8 LED tube, 13W, 5000K, 1900 lumens, direct wire with G13 base.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Material	Finish	Color	List Price
8-T8-3-13W-F	13	120 to 240	1900	5000	80	120	50000	IP20	-4 to 104	Glass	White	White	$5.00

Further specifications not shown here: Warranty (years).

CLEARANCE / **BLACK FRIDAY 2026** / **CABINET LIGHTS**



K-B-SR2 Motion Sensor Cabinet Light

8-SMD LED motion sensor light, 2W, 6000K, white finish.

SKU	Power (W)	CCT (K)	Rated Life (hours)	Product Dimensions	Weight	Finish	Warranty (years)	List Price
K-B-SR2-W	2	6000	50000	9.5 × 1.5 × 1 in	0.2 lb	White	1	$6.53



K-R Series Surface-Mount LED Cabinet Light

12VDC surface-mount round LED cabinet/kitchen puck lights; variants differ by wattage, colour temperature and switch (plain or touch).


SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Wire Length (in)	Material	Finish	Warranty (years)	List Price
K-R2B-65K	2	12	6500	80	120	50000			39.4	Aluminum	Silver	1	$10.26
K-R2W	2	12	5000	80	120	50000	Diameter 68mm	0.9 lb		Aluminum	Silver	1	$6.53
K-R3T-65K	3	12	6500	80	30	50000			39.4	Aluminum	Silver	1	$14.92



K-S Series LED Under-Cabinet Strip Light

12V LED kitchen strip lights for under-cabinet use; variants differ by wattage (3W, 5W, 8W) and lumen output.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Material	Finish	Warranty (years)	List Price
K-S-3W	3	12	250	4500	80	120	50000	30*2.5cm	Aluminum + Plastic	Clear	1	$15.86
K-S-5W	5	12	450	4500	80	120	50000	50*2.5cm	Aluminum + Plastic	Clear	1	$20.52
K-S-8W	8	12	700	4500	80	120	50000	80*2.5cm	Aluminum + Plastic	Clear	1	$26.12



9-C Series Round LED Cabinet Light

Dimmable round LED cabinet lights at 3W, 6000K; variants differ by diameter (2 in. and 2.5 in.) and finish.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Dimming Type	Warranty (years)	List Price
9-C2-R3-60K-D	3	120 to 240	225	6000	80	50000	4 × 4 × 3.5 in	0.4 lb	Aluminum	White	Dimmable	1	$10.26
9-C2.5-A3W-D-E	3	120	210	6000	80	50000	3 × 3 × 2.5 in	0.1 lb	Aluminum	Silver	Dimmable	1	$8.40

Further specifications not shown here: Beam Angle (°).


CLEARANCE / **BLACK FRIDAY 2026** / **CHANDELIERS**



9-CH-IR1 Single-Ring LED Chandelier, 36W, 22.45 in.

Single-ring LED chandelier, 36W, 22.45 in. diameter, CCT adjustable, white housing.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	Driver	Product Dimensions	Finish	Warranty (years)	List Price
9-CH-IR1-WT	36	120 to 240	3240	90	3000 / 6000	80	SMD2835	50000	Isolated LED 3 COLOR Driver	570mm (22.45 in.) diameter	White	1	$83.95



9-CH-IR3 Three-Ring LED Chandelier, 36W

Three-ring LED chandelier with 570/380/190 mm rings, 36W, white housing.

SKU	Power (W)	Input Voltage (V)	CRI (Ra)	LED Type	Rated Life (hours)	Driver	Product Dimensions	Mount Type	Finish	Warranty (years)	List Price
9-CH-IR3-WT	36	120 to 240	80	SMD 2835	50000	Isolated LED 3 COLOR Driver	570x380x 190mm	Ceiling Mount	White	1	$183 .76



9-CH-IR2 Dual-Ring LED Chandelier, 36W+24W

Dual-ring LED chandelier, 36W+24W, CCT adjustable, offered in black or white housing.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CRI (Ra)	LED Type	Rated Life (hours)	Driver	Product Dimensions	Mount Type	Finish	Warranty (years)	List Price
9-CH-IR2-BK	36	120 to 240	5400	90	80	SMD2835	50000	Isolated LED 3 COLOR Driver	570mm x 380mm	Ceiling mount	Black	1	$131.52
9-CH-IR2-WT	36	120 to 240	5400		80	SMD2835	50000	Isolated LED 3 COLOR Driver	570mm +380mm		White	1	$131.52



9-CH-OR1 Single-Ring LED Chandelier, 36W, 22.5 in.

Single outer-ring LED chandelier, 36W, 22.5 in. diameter, CCT adjustable, offered in black or white.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Rated Life (hours)	Driver	Product Dimensions	Finish	Warranty (years)	List Price
9-CH-OR1-BK	36	120 to 240	3240			80	50000	Isolated LED 3 COLOR Driver	22.5 in diameter	Black	1	$83.95
9-CH-OR1-WT	36	120 to 240	3240	90	3000 / 6000	80	50000	Isolated LED 3 COLOR Driver	570mm diameter (22.5 in.)	White	1	$83.95



9-CH-OR2 Dual-Ring LED Chandelier, 36W+24W

Dual-ring LED chandelier, 36W (+24W on black), CCT adjustable, offered in black or white housing.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CRI (Ra)	LED Type	Rated Life (hours)	Driver	Product Dimensions	Finish	Warranty (years)	List Price
9-CH-OR2-BK	36	120 to 240	3240	90	80	SMD 2835	50000	Isolated LED 3 COLOR Driver	570mm main ring / 380mm outer ring	Black	1	$131.52
9-CH-OR2-WT	36	120 to 240	3240		80	SMD 2835	50000	Isolated LED 3 COLOR Driver	570mm+380mm diameter (22.5+15 in)	White	1	$131.52



9-CH-OR3 Three-Ring LED Chandelier, 36W+24W+12W

Three-ring LED chandelier, 36W+24W+12W, 3000K-6000K, offered in black or white housing.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	Driver	Product Dimensions	Finish	Warranty (years)	List Price
9-CH-OR3-BK	36	120 to 240	3240	90	3000 / 6000	80	SMD2835	50000	Isolated LED 3 COLOR Driver	570mm x 380mm x 190mm	Black	1	$183.76
9-CH-OR3-WT	36	120 to 240	3240	90		80	SMD2835	50000	Isolated LED 3 COLOR Driver	570mm x 380mm x 190mm	White	1	$183.76

Further specifications not shown here: Mount Type.

CLEARANCE / BLACK FRIDAY 2026 / LAMPS



FL18 Series LED Corner Floor Lamp, 18 W, RGB + 3000 K

Corner floor lamp, 18 W, RGB plus 3000 K warm white, with RF 52-key remote, IP20.

SKU	Power (W)	Input Voltage (V)	CCT (K)	Rated Life (hours)	IP Rating	Product Dimensions	Weight	Material	Input Connection	Warranty (years)	List Price
9-FL18-RGB3K-52	18	120 to 240	3000	50000	IP20	22 × 3 × 3 in	2.3 lb	Aluminum, Silicone	US Plug	1	$64.36

CLEARANCE / BLACK FRIDAY 2026 / HIGHBAYS



9-HB-RA Series LED Linear High Bay, 5000K, IP66

Linear-style LED high bay fixtures in black finish with 5000K CCT, IP66 rating and 1-10V dimming; variants differ by wattage (100W/150W/200W/240W).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Material	Finish	Color	List Price
9-HB-RA100-50K-BK	100	120 to 277	15000	150	5000	70	50000	IP66	-4 to 104	Aluminum	Black	White	$89.55
9-HB-RA150-50K-BK	150	120 to 277	22500	150	5000	70	50000	IP66	-4 to 104	Aluminum	Black	White	$98.88
9-HB-RA200-50K-BK	200	120 to 277	30000	150	5000	70	50000	IP66	-4 to 104	Aluminum	Black	White	$309.52
9-HB-RA240-50K-BK	240	120 to 277	36000	150	5000	70	50000	IP66	-4 to 104	Aluminum	Black	White	$337.08

Further specifications not shown here: Warranty (years), Certifications.



9-HB-U Series UFO LED High Bay

UFO-style LED high bay fixtures with 120° beam; variants differ by wattage and configuration (100W ETL/DLC, 150W 120-240V, 200/150/100W selectable with 3CCT).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Material	Finish	Warranty (years)	List Price
9-HB-U100-50K-ETL-G	100	120 to 277	12000	120	5000	70	50000	IP65	-40 to 113	Aluminum	Black	1	$79.29
9-HB-U150W-UL-HD	150	120 to 240	19500				50000			Plastic + Aluminum	Black	1	$98.88
9-HB-U200PS-3CCT	200	120	27000	135	3500 / 4000 / 5000	80	50000	IP65	-40 to 113	Aluminum	Black	1	$180.20

Further specifications not shown here: Color, Certifications.



9-LB Series LED Garage High Bay Light, E26/E27, Microwave Sensor

Screw-in LED garage/high bay lamps with 5000K CCT, E26/E27 base and microwave sensor; variants differ by wattage (80W/120W).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	Rated Life (hours)	Finish	Warranty (years)	List Price
9-LB80-50K-E27-S	80	120 to 277	9600	120	5000	50000	black	1	$60.37
9-LB120-50K-E27-S	120	120 to 277	14400	120	5000	50000	Black	1	$79.29

CLEARANCE / **BLACK FRIDAY 2026** / **HEXAGONE**



LWL1607 Series Linear Workshop Light

Dual-rectangle linear workshop luminaire, 340W, 6000K, CRI>90, 120-240V.

SKU	Power (W)	Input Voltage (V)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Rated Life (hours)	Material	Warranty (years)	List Price
9-LWL1607-340W	340	120 to 240	120	6000	90	50000	aluminum, polycarbonate	1	$543.82

CLEARANCE / **BLACK FRIDAY 2026** / **PANEL LIGHTS**



9-P1x1 Series LED Grilled Panel Light, 1x1 ft

1 ft x 1 ft grilled LED panel light, 12W, 120-240V AC input.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Product Dimensions	Warranty (years)	List Price
9-P1x1-12W-H	12	120 to 240	50000	1 ft x 1 ft	1	$14.92



9-P2x2 Series LED Panel Light, 2x2 ft

2x2 ft LED panel lights; variants differ by wattage and format (30W standard 120-277V, or 40W edge-lit 5000K 0-10V dimmable).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Warranty (years)	List Price
9-P2x2-30W-H	30	120 to 277						50000				1	$25.19
9-P2x2-40W-UD	40	120 to 277	4200	105	5000	80	120	50000	IP41	-4 to 122	26 × 8 × 26 in	1	$49.44

Further specifications not shown here: Weight, Dimming Type.

9-P2x4 Series Edge-Lit LED Panel Light, 2x4 ft

2x4 ft edge-lit LED panel light, 50W, 6250 lm, 5000K, 0-10V dimmable.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Product Dimensions	Weight	List Price
9-P2x4-50WH-UD	50	120 to 277	6250	125	2700 / 3000 / 4000 / 5000 / 5700	80	120	50000	IP41	-4 to 122	48 × 24 × 2 in	15 lb	$74.62

Further specifications not shown here: Dimming Type, Warranty (years).

CLEARANCE / BLACK FRIDAY 2026 / SURFACE LINEARS



SML Series Surface Mount Linear LED, IP44 Polycarbonate

Polycarbonate IP44 surface-mount linear LED luminaires in 5000K, offered in 10W/500lm, 20W/1600lm, and 40W/3200lm output variants.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Rated Life (hours)	Driver	IP Rating	Material	Finish	Color	Warranty (years)	List Price
9-SML1-10W-50K	10	120	500	5000	80	50000	IC	IP44	Fully polycarbonate	White	White	2	$24.38
9-SML2-20W-50K	20	120	1600	5000	80	50000	IC	IP44	Fully polycarbonate	White	White	2	$29.68
9-SML4-40W-50K	40	120	3200	5000	80	50000	IC	IP44	Fully polycarbonate	White	White	2	$47.70

Further specifications not shown here: Mount Type, Certifications.

CLEARANCE / BLACK FRIDAY 2026 / TRACK SYSTEMS



9-TK-G Series LED Track Light

G-series track spotlight in black or white aluminium; 12W/20W/40W options in 4000K or 6000K with 40° beam.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Material	Finish	Warranty (years)	List Price
9-TK-G12BK-6K	12	120 to 240	6000	80	40	50000	70*90mm	Aluminum	Black	1	$26.29
9-TK-G20BK-4K	20	120 to 240	4000	80	40	50000	70*90mm	Aluminum	Black	1	$32.22
9-TK-G20BK-6K	20	120 to 240	6000	80	40	50000	70*90mm	Aluminum	Black	1	$32.22
9-TK-G40WT-4K	40	120 to 240	4000	80	40	50000	70*90mm	Aluminum	White	1	$55.12



9-TK-H Series LED Track Light

H-series 30W 4000K track light with 80° beam and white aluminium finish.

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Material	Finish	Warranty (years)	List Price
9-TK-H30WT-4K	30	120 to 240	4000	80	80	50000	Aluminum	White	1	$26.12



9-TK-A Series LED Track Light

A-series 20W adjustable-head track light with aluminium finish, 120-240V AC.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
9-TK-A20W	20	120 to 240	50000	5.5 × 4 × 8 in	2.2 lb	Aluminium	Silver	1	$29.85



9-TK-F Series LED Track Light

F-series 12W 6000K daylight track light with white finish and 180° beam.

SKU	Power (W)	Input Voltage (V)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Material	Finish	Warranty (years)	List Price
9-TK-F12W	12	120 to 240	180	50000	4 × 5.5 × 7.5 in	1 lb	Aluminum	White	1	$23.32



9-TK-C Series Track Light Remote Dimmer Controller

Remote dimmer controller for track lighting, 30W load rating, 120-240V.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Warranty (years)	List Price
9-TK-C30X	30	120 to 240	50000	1	$29.85

CLEARANCE / **BLACK FRIDAY 2026** / **CAN LIGHTS**



A-C4-R10-P Series 4-Inch Junction Box LED Downlight, 10W

10W 4-inch junction box LED downlight, 900 lm, 120V dimmable; variants differ by color temperature (4000K, 5000K).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Finish	Color	Dimming Type	Warranty (years)	List Price
A-C4-R10-40K-P	10	120	900	90	4000	90	120	75000	White	White	Triac	1	$8.40
A-C4-R10-50K-P	10	120	900	90	5000	90	120	75000	White	White	Triac	1	$8.40

Further specifications not shown here: Product Dimensions, Certifications.



A-C6-S15 Series 6-Inch LED Downlight, 15W

6-inch LED downlight, 15W, 4000K, 1150 lm, 120VAC dimmable.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Finish	Color	Dimming Type	List Price
A-C6-S15-40K	15	120	1150	90	4000	90	120	75000	8 × 7.5 × 5 in	White	White	Triac	$17.72

Further specifications not shown here: Warranty (years), Certifications.



A-C4-R10 Series 4-Inch LED Recessed Downlight, 10W

4-inch LED recessed downlight, 10W, 900 lm, 5000K, 120° beam angle, ETL listed.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Finish	Color	Dimming Type	List Price
A-C4-R10-50K	10	120	900	90	5000	90	120	75000	6 × 6 × 4.5 in	White	White	Triac	$8.40

Further specifications not shown here: Warranty (years), Certifications.

CLEARANCE / BLACK FRIDAY 2026 / CONTROLLERS



C-AC1 Series AC LED Controller, 120VAC 1500W

12 mm AC LED controller for M-HL-28-120 series, 120VAC, 1500W, 50 m run.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Warranty (years)	List Price
C-AC1-1500W-12mm	1500	120	50000	1	$14.92



C-AC3 Series IR RGB LED Driver Controller

78W IR RGB LED driver controller with 3-channel DC12V output and 24-key remote.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Warranty (years)	List Price
C-AC3-DC12-78	78	120	50000	1	$12.13



C-AM3 Series Waterproof RGB LED Amplifier

Waterproof 3-channel RGB LED amplifier, 5–24VDC input, 288W max output.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Product Dimensions	Weig ht	Warranty (years)	List Price
C-AM3-144WP	0	24	50000	6 × 4 × 2 ft	0.4 lb	1	$14.92



C-SP3-AM Series Signal Amplifier

Cascadable signal amplifier with DC 5V–24V wide voltage input and 5V TTL compatibility.

SKU	Input Voltage (V)	Finish	List Price
C-SP3-AM-4	24	Black	$29.85



C-BT4 Series Bluetooth RGBW LED Controller

4-channel Bluetooth RGBW LED controller with app control, 12V/240W or 24V/480W output.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Warranty (years)	List Price
C-BT4-240	240 to 480	120 to 240	50000	1	$10.26



C-SP-RGB Series RF RGB LED Controller

RGB LED controller with RF 14-key remote, 12–24V, 2.2W, with protocol support.

SKU	Power (W)	Input Voltage (V)	List Price
C-SP-RGB-14K	2.2	12 to 24	$6.53



C-SP1-RC Series SPI Single-Color Controller

12-key SPI controller for single-color running-water LED strips, 12–24V, 2048 pixels.

SKU	Input Voltage (V)	List Price
C-SP1-RC-1	12 to 24	$6.53



C-3 Series 3-Channel RGB LED Controllers

3-channel RGB LED controllers for 12–24V DC, offered as RF sub-controller, touch panel, and Wi-Fi/IR variants at 144–288W.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Weight	Warranty (years)	List Price
C-3-R144-SUB	144 to 288	12 to 24	50000	32 to 104	6 × 4 × 2 in	0.4 lb	1	$20.52
C-3-TP144	144 to 288	12 to 24	50000	32 to 104			1	$27.98
C-3-WF144	144	24	50000	32 to 104			1	$22.39



C-4 Series 4-Channel LED Controllers

4-channel LED controllers at 12–24V DC, offered as an RF remote dimmer (192W) and a Wi-Fi/voice RGBW controller (144W).

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Weight	Finish	Warranty (years)	List Price
C-4-R192-D	192	12	50000	-4 to 104	6 × 7 × 2 in	0.8 lb	Black + White	1	$29.85
C-4-WF144	144	24	50000					1	$22.39



C-PAC-10V Series 0-10V Wall Touch Panel Dimmer

0-10V wall touch panel dimmer, 90-240V AC input, compact panel-mount form factor.

SKU	Input Voltage (V)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Weight	Dimming Type	Warranty (years)	List Price
C-PAC-10V-BK	90 to 240	50000	-4 to 140	4 × 6 × 2 in	0.4 lb	0-10V	1	$20.52



C-PAC-110 Series Triac Wall Panel Dimmer

1-channel triac wall panel dimmer, 120-240V input, 110W/220W load.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Dimming Type	Warranty (years)	List Price
C-PAC-110-BK	110	120 to 240	50000	Triac	1	$25.19



C-PAC-SM Series Wi-Fi Smart Dimmer Switch

Wi-Fi smart dimmer switch, 150W LED / 600W incandescent load, neutral wire required.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Operating Temperature (°F)	Product Dimensions	Weight	Finish	Dimming Type	Warranty (years)	List Price
C-PAC-SM150-L	150	120	50000	-4 to 140	116*70.2*41mm	0.16 lb	White rocker, frame and slider with black base	Single-pole smart dimmer, neutral wire required	1	$38.24

CLEARANCE / BLACK FRIDAY 2026 / FLOODLIGHTS



F-RGB Series RGB LED Flood Lights with Remote

RGB LED flood lights with remote control; variants differ by wattage (30W IP65 or 100W IP66 with RF remote).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Product Dimensions	Weight	Warranty (years)	List Price
F-30RGB-BK	30	120		80			IP65	2.5 x 8 x 11.75 in	1.5 lb		$56.25
F-100RGB-ETL	100	120 to 277	6000		120	50000	IP66	14.25 × 11.5 × 2.5 ft	2.5 lb	1	$93.75

No image

F-K-S Series LED Flood Light with Photocell

30W 5000K LED flood light, 3,600 lumens, IP65, with photocell sensor.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	Beam Angle (°)	IP Rating	Product Dimensions	Weight	List Price
F-30W-K-S	30	100 to 277	3600	5000	120	IP65	9.5 × 9.5 × 5.5 in	3.6 lb	$50.00



F-T Series LED Power Supply

120W output LED driver / power supply, 120-240VAC input.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Warranty (years)	List Price
F-120W-BK-T	120	120 to 240	50000	1	$59.70



F-BS Series Rechargeable Battery LED Flood Lights

Battery-powered rechargeable LED flood lights, IP54; variants differ by wattage (10W, 20W, 30W, 50W).

SKU	Power (W)	Input Voltage (V)	CCT (K)	Beam Angle (°)	Rated Life (hours)	IP Rating	Product Dimensions	Weight	Warranty (years)	List Price
F-BS10W	10	5			50000	IP54	13.5cm x 12.70cm x 26.50cm	2.2 lb	1	$20.52
F-BS20W	20	5		120	50000	IP54	16cm x 18.40cm x 29.80cm	3.31 lb	1	$29.85
F-BS30W	30	5	5000	120	50000	IP54	22.50cm x 24.40cm x 39.20cm	5.4 lb	1	$38.24
F-BS50W	50	5		120	50000	IP54	22.50 cm x 24.40 cm x 39.20 cm	5.84 lb	1	$70.28



F-LM Series Knuckle-Mount LED Flood Light

10W 5000K 1,000lm LED flood light with 1/2in knuckle mount, bronze finish, IP66.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	IP Rating	Product Dimensions	List Price
F-LM10-50K-A-BR	10	120	1000	5000	70	IP66	4.88 in	$25.00



F-S Series Motion-Sensor LED Flood Light

50W LED flood light with motion sensor, 120-240V input.

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Product Dimensions	Warranty (years)	List Price
F-S50W	50	120 to 240	50000	11.25 × 9.25 × 5 ft	1	$31.72



F-BKES Series LED Flood Lights

LED flood lights with 120° beam and IP65 rating; variants differ by wattage/CCT (100W 3000K 10,000lm or 200W 5000K 24,000lm).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	Rated Life (hours)	IP Rating	Warranty (years)	List Price
F-100W-30K-BKES	100	120 to 277	10000	3000	70	120	45000	IP65	5	$68.75
F-200W-50K-BKES	200	120 to 277	24000	5000		120	50000	IP65	5	$106.25

CLEARANCE / **BLACK FRIDAY 2026** / **LIGHT BOXES**



LBM Series Slim LED Message Light Box

Slim LED light box for message display.

SKU	Rated Life (hours)	Product Dimensions	Warranty (years)	List Price
LBM29x20.5L	50000	20.5 x 29	1	$178.16



LBS Series Slim Light Box

Slim light boxes with translucent panel, 120V; sizes include 24x16 in (20W) and 42x28 in front-open frame (26W).

SKU	Power (W)	Input Voltage (V)	Rated Life (hours)	Product Dimensions	Warranty (years)	List Price
LBS2416	20	120	50000	24 in x 16 in	1	$61.56
LBS4228CP	26	120	50000	42 in x 28 in	1	$128.73



LBSC Series Slim Acrylic LED Light Box

Slim LED light boxes with clear acrylic panel and 100-240VAC input, offered in 13x10 in, 15.25x12 in, and 20x16 in sizes.

SKU	Input Voltage (V)	Rated Life (hours)	Product Dimensions	Material	Warranty (years)	List Price
LBSC1310L	120 to 240	50000	13 x 10 in	Aluminum, Acrylic	1	$49.44
LBSC1512L	120 to 240	50000	15.25 x 12 in	Acrylic	1	$49.44
LBSC2016L	120 to 240	50000	20 x 16 x 0.4 in	Clear acrylic	1	$64.36

No image

M-28N Series SMD2835 LED Strip, 60 LEDs/m, CRI 97, 12V

SMD2835 12VDC strip, 4.8W/m, 60 LEDs/m, IP20, CRI 95+; variants differ by color temperature (4000K, 6000K).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Warranty (years)	Certifications	List Price
M-28N-60-40K-UL-CRI97	4.8	12	360	4000	95	180	SMD2835	50000	IP20	5	3	CE, RoHS, UL Listed	$33.44
M-28N-60-60K-UL-CRI97	4.8	12	360		95	180	SMD2835	50000	IP20	5	3	CE, RoHS, UL Listed	$33.44



M-50N Series SMD5050 LED Strip, 60 LEDs/m

SMD5050 strip with 60 LEDs/m, IP20, 12VDC, 5m roll; variants differ by color (4000K white, RGB+CCT 5-channel).

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Cut Length (mm)	Finish	Warranty (years)	List Price
M-50N-60-40K-ULX	9	12	4000	95	120	SMD5050	50000	IP20	5	2	White	3	$42.24
M-50N-60-RGBCCT-ECO	16	12		80	120	SMD5050	50000	IP20		2	White	1	$40.48

Further specifications not shown here: Certifications.



M-50N Series SMD5050 LED Strip, 60 LEDs/m, CRI 97

SMD5050 high-CRI strip with 60 LEDs/m, IP20; variants differ by voltage and color temperature (4000K/24V, 5000K/12V).

SKU	Power (W)	Input Voltage (V)	CCT (K)	CRI (Ra)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Cut Length (mm)	Finish	Warranty (years)	List Price
M-50N-60-40K-24V-UL-CRI97	9	24	4000	95	120	SMD5050	50000	IP20	5	2	White	3	$44.88
M-50N-60-50K-UL-CRI97	9	12	5000	95	120	SMD5050	50000	IP20	5	2	White	3	$44.88

Further specifications not shown here: Certifications.



M-50N Series SMD5050 RGB LED Strip, 240 LEDs/m

High-density SMD5050 RGB strip, 24VDC, 240 LEDs/m, 25W/m, IP20.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CRI (Ra)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Cut Length (mm)	Finish	Warranty (years)	List Price
M-50N-240-RGB-24V-UL	25	24	41	95	120	SMD5050	50000	IP20	5	2	White	3	$123.20

Further specifications not shown here: Certifications.



M-38N Series SMD3838 RGB LED Strip, 120 LEDs/m

SMD3838 color-changing RGB strip, 12VDC, 120 LEDs/m, 8mm wide.

SKU	Input Voltage (V)	CRI (Ra)	LED Type	Rated Life (hours)	Warranty (years)	List Price
M-38N-120-RGB-UL	12	80	SMD3838	50000	1	$70.40

No image

M-50S Series IP65 Waterproof LED Strip, 60 LEDs/m

IP65 waterproof strip, 5000K, 24V, 14.4W/m, 60 LEDs/m, 20m roll.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Finish	Warranty (years)	List Price
M-50S-60-50K-24V-UL-20M	14.4	24	1200	5000	80	120	5050	50000	IP65	20	White	1	$139.92

Further specifications not shown here: Certifications.



M-H Series SMD2835 LED Rope Light, 72 LEDs/m

Flexible LED rope light with 2835 SMD chips, 6.5W/m, IP65; variants differ by voltage/color (12V 6000K white, 120V blue).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Cut Length (mm)	Finish	Warranty (years)	Certifications	List Price
M-H-2835-72-60K-ETL	6.5	12	860	6000	120	2835	50000	IP65	20	White	1	CETL us	$8.80
M-H-2835-72-BL-ETL	6.5	120	860		120	2835 SMD	50000	IP65	20	Clear	1	CETL us	$8.80

Further specifications not shown here: CRI (Ra), Length (m).



M-H Series SMD5730 LED Rope Light, 60 LEDs/m

Flexible LED rope light with 5730 SMD, 8W/m, 1080 lm/m, 6000K, IP65, 12V.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	Beam Angle (°)	LED Type	Rated Life (hours)	IP Rating	Cut Length (mm)	Finish	Warranty (years)	Certifications	List Price
M-H-5730-60-60K-ETL	8	12	1080	6000	120	5730 SMD	50000	IP65	20	White	1	CETL us	$9.68



M-HR Series SMD2835 LED Rope Light, 120 LEDs/m

Flexible LED rope light, SMD2835, 120 LEDs/m, 2400K, IP67, 110-130V input.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Cut Length (mm)	Finish	Warranty (years)	Certifications	List Price
M-HR-2835-120-24K	0.25	120	24	2400	80	SMD 2835	50000	IP67	20	White	2	cETLus	$8.80




M-HL-57 Series LED Rope Light, 120V, 120 LEDs/m

Outdoor flexible LED rope light, 120V, 9W/m, IP67, 50m roll; variants differ by white output (3500K fixed, CCT tunable).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Cut Length (mm)	Finish	Warranty (years)	List Price
M-HL-57-120-WW	9	120	45	3500	80	SMD 2835	50000	IP67	50	.5m	White	1	$7.04
M-HL-57-120-WW-W	9	120	45	3000	80	SMD 2835	50000	IP67	50	.5m	White	1	$8.80

Further specifications not shown here: Certifications.



M-N8 Series Silicone LED Neon Flex, 110V

Blue silicone LED neon flex strip, 6W/m, 110V AC, IP67, 50m roll.

SKU	Power (W)	Input Voltage (V)	CRI (Ra)	LED Type	Rated Life (hours)	IP Rating	Length (m)	Finish	Warranty (years)	List Price
M-N8-110V-BL	6	120	80	Epistar chip	50000	IP67	50	180	1	$8.80



M-S-50-RGBW Series Mini Controller

4-channel RGBW mini controller for M-S-50-RGBW-2M strip, 4A/5V, 24-key, USB.

SKU	Input Voltage (V)	Rated Life (hours)	Warranty (years)	List Price
M-S-50-RGBW-2M-CTL	5	50000	1	$9.68

CLEARANCE / BLACK FRIDAY 2026 / POWER SUPPLIES



P-FS Series Rainproof LED Power Supply, IP67

IP67 rainproof LED power supplies; variants differ by wattage (100W, 250W) and DC output voltage (12VDC, 24VDC).

SKU	Power (W)	Input Voltage (V)	PS Input	PS Output	Current Draw (A)	IP Rating	Operating Temperature (°F)	Product Dimensions	Weight	Material	Warranty (years)	List Price
P-FS100	100	100 to 120	100 - 120V AC	12V DC		IP67	-22 to 122	8.5 × 5.25 × 2.25 in	2 lb	Aluminum Alloy	1	$22.39
P-FS250-24	250	24	110 - 220V AC	24V DC	20.83	IP67	-22 to 122	10.5 × 4.75 × 2.5 in	1.9 lb	Aluminum Alloy	1	$40.11

CLEARANCE / BLACK FRIDAY 2026 / SOLAR LIGHTS



SL-A Series Solar Street Light with Remote Control

Solar-powered street light, 20W, 6000K, IP65, pole mount, with remote control.

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Operating Temperature (°F)	Material	Finish	Warranty (years)	List Price
SL-A20W-RC	20	120 to 277	2000	6000	70	50000	IP65	5 to 122	aluminum, tempered glass	black	1	$108.54



SL-F Series Solar LED Flood Light with Remote Control

Solar LED flood lights, 6000K, IP65, with remote control; variants differ by wattage (25W, 100W).

SKU	Power (W)	Input Voltage (V)	Lumens (lm)	CCT (K)	CRI (Ra)	Rated Life (hours)	IP Rating	Material	Finish	Dimming Type	Warranty (years)	List Price
SL-F25W-RC	25		2500	6000	80	50000	IP65	aluminum, tempered glass	black	Remote control: dimming, manual, photocell, on/off	1	$68.69
SL-F100W-RC	100	12	10000	6000	80	50000	IP65	aluminum, tempered glass	black	Remote control: dimming, manual mode, photocell mode, on/off	1	$156.03



SL-MS Series Solar Motion Sensor Light

SMD 3535 solar motion sensor light, 6500K cool white, black housing.

SKU	CCT (K)	LED Type	Rated Life (hours)	Product Dimensions	Finish	Warranty (years)	List Price
SL-MS1	6500	SMD 3535	50000	6.5 × 4.5 × 3.25 in	Black	1	$13.06

CLEARANCE / **BLACK FRIDAY 2026** / **MOTION SENSOR LIGTHS**



W-B-SR1 Camera-Form Motion Sensor Light

LED motion sensor light in camera-form factor with silver finish and 6000K daylight output.

SKU	CCT (K)	Rated Life (hours)	Product Dimensions	Weight	Mount Type	Finish	Warranty (years)	List Price
W-B-SR1-W	6000	50000	4.5 × 3.5 × 6.5 in	0.6 lb	Freestanding/Battery-powered	Silver	1	$6.53



W-B-SR2 COB LED Motion Sensor Light

COB LED motion sensor light rated 1W at 6500K cool white with 100 lumens output.

SKU	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Finish	Color	Warranty (years)	List Price
W-B-SR2-W	1	100	6500	120	50000	4 × 3.5 × 5 in	0.4 lb	White	White	1	$7.46



W-B-SR3 SMD LED Motion Sensor Light

SMD LED motion sensor light rated 0.5W at 6000K cool white with 55 lumens output.

SKU	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)	Rated Life (hours)	Product Dimensions	Weight	Finish	Color	Warranty (years)	List Price
W-B-SR3-W	0.5	55	6000	120	50000	4 × 3 × 4.75 in	0.2 lb	White	White	1	$6.53